

APPLICATION NO. 10/045,975

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

ATTORNEY DOCKET NO. CONFIRMATION NO.

10121/02101 3029

30636 7590 03/09/2006 FAY KAPLUN & MARCIN, LLP 150 BROADWAY, SUITE 702 NEW YORK, NY 10038

FILING DATE

01/10/2002

EXAMINER EREZO, DARWIN P

PAPER NUMBER

ART UNIT 3731

DATE MAILED: 03/09/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

FIRST NAMED INVENTOR

John Jairo Damarati

0
$\overline{}$

1	Application No.	Applicant(s)	
	10/045,975	DAMARATI, JOHN JAIRO	
Office Action Summary	Examiner	Art Unit	
	Darwin P. Erezo	3731	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply			
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).			
Status			
 1) Responsive to communication(s) filed on 23 December 2a) This action is FINAL. 2b) This 3) Since this application is in condition for allower closed in accordance with the practice under E 	action is non-final. nce except for formal matters, pro		
Disposition of Claims			
 4) Claim(s) 1,8,9,11,13-18 and 21 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) 1,8,11,14,18 and 21 is/are allowed. 6) Claim(s) 9,13,15 and 16 is/are rejected. 7) Claim(s) 17 is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 			
Application Papers			
 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. 			
Priority under 35 U.S.C. § 119			
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 			
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:		

Page 2

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 12/23/05 has been entered.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States
- 3. Claims 9 and 13 are rejected under 35 U.S.C. 102(b) as being anticipated by US 5,242,456 to Nash et al.

Nash teaches a device comprising a first catheter 172; a second catheter 100B that is slidably received within the first catheter (as seen in Fig. 8, portion of the first catheter is received within the distal portion of the second catheter); a plurality of anchoring members that are received within the second catheter (and the first catheter); a driving member 112 slidably received within the second catheter (when the driving member is moved distally to push the anchoring members); and wherein a length of

Art Unit: 3731

suture **36** connects the anchoring members; wherein the second catheter couples to the anchoring members prior to release.

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 15 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Nash in view of US 5,437,680 to Yoon et al.
- 6. Nash teaches a first catheter and a second catheter, as recited above, but is silent with regards to an endoscope or the a third catheter. However, Yoon specifically states that endoscopes are used to view the surgical site and through which various instruments are introduced to the surgical site (col. 1, lines 29-31). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to use an endoscope along with the device of Nash since it would allow the practitioner to view the surgical site and allow the device to be delivered to said surgical site. As to the third catheter, the difference between the claimed invention and the device of Nash is that Nash teaches a solid pushrod (solid tube instead of a hollow tube). However, it would have been an obvious matter of design choice to use a hollow push rod instead of solid push rod so long as they both perform the function of a push rod. Therefore, a hollow push rod would read as said "third catheter". Nash also teaches the first catheter retaining the anchoring members in the retracted state.

Application/Control Number: 10/045,975 Page 4

Art Unit: 3731

Allowable Subject Matter

7. Claims 1, 8, 11, 14, 18 and 21 are allowed.

8. Claim 13 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

9. The indication of allowable subject matter by the previous Examiner of record is regretted and an action on the merits for claims 9, 13, 15 and 16 are provided above.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Darwin P. Erezo whose telephone number is (571) 272-4695. The examiner can normally be reached on M-F (7:30-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Anhtuan T. Nguyen can be reached on (571) 272-4963. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/045,975

Art Unit: 3731

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

de